

13VAC5-63-443. Chapter 16 Referenced standards.

Delete Chapter 16 of the IEBC in its entirety.

13VAC5-63-444. Appendix B Supplementary accessibility requirements for existing buildings and facilities.

A. Change Sections B101.3 and B101.4 of the IEBC to read:

B101.3 Qualified historic buildings and facilities subject to Section 106 of the National Historic Preservation Act. Where an alteration or change of occupancy is undertaken to a qualified historic building or facility that is subject to Section 106 of the National Historic Preservation Act, the federal agency with jurisdiction over the undertaking shall follow the Section 106 process. Where the state historic preservation officer or Advisory Council on Historic Preservation determines that compliance with the requirements for accessible routes, ramps, entrances, or toilet facilities would threaten or destroy the historic significance of the building or facility, the alternative requirements of Section 405 for that element are permitted.

B101.4. Qualified historic buildings and facilities not subject to Section 106 of the National Historic Preservation Act. Where an alteration or change of occupancy is undertaken to a qualified historic building or facility that is not subject to Section 106 of the National Historic Preservation Act, and the entity undertaking the alterations believes that compliance with the requirements for accessible routes, ramps, entrances, or toilet facilities would threaten or destroy the historic significance of the building or facility, the entity shall consult with the state historic preservation officer. Where the state historic preservation officer determines that compliance with the accessibility requirements for accessible routes, ramps, entrances, or toilet facilities would threaten or destroy the historical significance of the building or facility, the alternative requirements of Section 405 for the element are permitted.

B. Change the first sentence in Section B101.5 of the IEBC to read:

B101.5 Displays. In qualified historic buildings and facilities where alternative requirements of Section 405 are permitted, displays and written information shall be located where they can be seen by a seated person.

C. Change the first sentence in Section 102.2.3 of the IEBC to read:

B102.2.3 Direct connection. New direct connections to commercial, retail, or residential facilities shall, to the maximum extent feasible, have an accessible route complying with Section 404.3 from the point of connection to boarding platforms and transportation system elements used by the public.